

VALVES & BRASS FITTINGS



- **PERFECT SEAL** as threads conform to BSPT-21 (ISO-7) standards
- **PEACE OF MIND** ensured by visible branding on each product
- **PROVEN DURABILITY** through Robust Construction

| | |
|--|---------------|
| GATE VALVES, NYLON & BRASS BALL VALVES | Pg. 180 - 181 |
| NON RETURN, SCREENS & TAPS | Pg. 182 - 183 |
| GEKA COUPLINGS & OTHER | Pg. 184 - 186 |
| BRASS COMPRESSION & COPPER CAPILLARY..... | Pg. 187 - 189 |



VENICE

BRASS NICKLE PLATED BALL VALVE



Temperature Rating : 0°C - 80°C
Suitable for Water & Oil
Max working pressure 20 Bar (290 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| BEBV015 | 15mm | 108 | R56.30 |
| BEBV020 | 20mm | 90 | R76.79 |
| BEBV025 | 25mm | 50 | R129.66 |
| BEBV032 | 32mm | 32 | R185.37 |
| BEBV040 | 40mm | 24 | R332.12 |
| BEBV050 | 50mm | 16 | R449.60 |

NYLON BALL VALVE (LEVER HANDLE)



Temperature Rating : 0°C - 80°C
Suitable for Water & Oil
Max working pressure 16 Bar (230 psi)

| CODE | SIZE | BOX QTY | PRICE |
|-----------|------|---------|---------|
| BNBV015LH | 15mm | 120 | R45.93 |
| BNBV020LH | 20mm | 90 | R63.23 |
| BNBV025LH | 25mm | 72 | R100.38 |
| BNBV032LH | 32mm | 36 | R211.13 |
| BNBV040LH | 40mm | 24 | R275.94 |
| BNBV050LH | 50mm | 30 | R381.00 |

BRASS NICKLE PLATED BALL VALVE FULL BORE



Temperature Rating : 0°C - 120°C
Suitable for Water, Oil & Gas
Max working pressure 25 Bar (360 psi)

| CODE | SIZE | BOX QTY | PRICE |
|----------|-------|---------|-----------|
| BBV008FB | 8mm | 120 | R46.52 |
| BBV010FB | 10mm | 120 | R50.67 |
| BBV015FB | 15mm | 90 | R65.81 |
| BBV020FB | 20mm | 72 | R89.29 |
| BBV025FB | 25mm | 50 | R141.34 |
| BBV032FB | 32mm | 24 | R214.82 |
| BBV040FB | 40mm | 16 | R324.48 |
| BBV050FB | 50mm | 12 | R510.82 |
| BBV065FB | 65mm | 4 | R1 052.54 |
| BBV080FB | 80mm | 4 | R1 717.84 |
| BBV100FB | 100mm | 2 | R2 597.55 |

BRASS NICKLE PLATED BALL VALVE REDUCED BORE



Temperature Rating : 0°C - 80°C
Suitable for Water, Oil & Gas
Max working pressure 16 Bar (230 psi)

| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|---------|
| BBV015RB | 15mm | 120 | R56.30 |
| BBV020RB | 20mm | 90 | R76.79 |
| BBV025RB | 25mm | 60 | R129.66 |
| BBV032RB | 32mm | 32 | R185.37 |
| BBV040RB | 40mm | 24 | R332.12 |
| BBV050RB | 50mm | 18 | R449.60 |



VENICE

STAINLESS STEEL TWO PIECE BALL VALVE

NEW



Temperature Rating : 0°C - 180°C
Suitable for Water, Oil & Gas
Max working pressure 25 Bar (360 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| SSBV008 | 8mm | 375 | R147.63 |
| SSBV010 | 10mm | 300 | R147.81 |
| SSBV015 | 15mm | 78 | R150.04 |
| SSBV020 | 20mm | 78 | R206.33 |
| SSBV025 | 25mm | 66 | R315.01 |
| SSBV032 | 32mm | 38 | R507.51 |
| SSBV040 | 40mm | 20 | R669.00 |
| SSBV050 | 50mm | 14 | R925.52 |

BRASS MALE FEMALE BALL VALVE (M/F)

NEW



Temperature Rating : 0°C - 120°C
Suitable for Water, Oil & Gas
Max working pressure 25 Bar (360 psi)

| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|---------|
| BBVMF015 | 15mm | 90 | R89.56 |
| BBVMF020 | 20mm | 60 | R129.20 |
| BBVMF025 | 25mm | 40 | R187.34 |
| BBVMF040 | 40mm | 32 | R385.49 |
| BBVMF050 | 50mm | 20 | R567.98 |

BRASS GATE VALVE FULL BORE



Temperature Rating : -20°C - 100°C
Suitable for Water, Oil & Gas
Max working pressure 12.5 Bar (180 psi)

| CODE | SIZE | BOX QTY | PRICE |
|----------|-------|---------|----------|
| BGV015FB | 15mm | 120 | R93.83 |
| BGV020FB | 20mm | 100 | R104.98 |
| BGV025FB | 25mm | 60 | R154.54 |
| BGV032FB | 32mm | 30 | R239.73 |
| BGV040FB | 40mm | 30 | R312.60 |
| BGV050FB | 50mm | 20 | R499.28 |
| BGV065FB | 65mm | 12 | R800.31 |
| BGV080FB | 80mm | 8 | R1100.91 |
| BGV100FB | 100mm | 4 | R2064.60 |

BRASS GATE VALVE

NEW



Temperature Rating : 0°C - 80°C
Suitable for Water & Oil
Max working pressure 10 Bar (145 psi)

| CODE | SIZE | BOX QTY | PRICE |
|------------|------|---------|---------|
| BECONGV015 | 15mm | 140 | R85.25 |
| BECONGV020 | 20mm | 120 | R92.22 |
| BECONGV025 | 25mm | 70 | R139.49 |

VENICE

**BRASS SPRING LOADED CHECK VALVE
(Inline Non-Return)**



**Temperature Rating : 0°C - 120°C
Suitable for Water & Oil
Max working pressure 16 Bar (230 psi)**

| CODE | SIZE | BOX QTY | PRICE |
|----------|-------|---------|-----------|
| BSLCV015 | 15mm | 180 | R60.00 |
| BSLCV020 | 20mm | 96 | R98.92 |
| BSLCV025 | 25mm | 70 | R172.22 |
| BSLCV032 | 32mm | 32 | R248.86 |
| BSLCV040 | 40mm | 24 | R354.78 |
| BSLCV050 | 50mm | 16 | R560.58 |
| BSLCV065 | 65mm | 12 | R841.50 |
| BSLCV080 | 80mm | 12 | R1 117.56 |
| BSLCV100 | 100mm | 4 | R1 722.47 |

**BRASS SWING CHECK VALVE
(Inline Non-Return)**



**Temperature Rating : 0°C - 120°C
Suitable for Water & Oil
Max working pressure 12.5 Bar (180 psi)**

| CODE | SIZE | BOX QTY | PRICE |
|---------|-------|---------|-----------|
| BSCV015 | 15mm | 108 | R67.36 |
| BSCV020 | 20mm | 72 | R95.82 |
| BSCV025 | 25mm | 60 | R160.48 |
| BSCV032 | 32mm | 40 | R240.26 |
| BSCV040 | 40mm | 20 | R332.27 |
| BSCV050 | 50mm | 20 | R524.46 |
| BSCV065 | 65mm | 12 | R958.51 |
| BSCV080 | 80mm | 8 | R1 436.13 |
| BSCV100 | 100mm | 4 | R2 202.52 |

STAINLESS STEEL SCREEN



**15mm - 40mm
(30 Micron)**

**50mm - 100mm
(20 Micron)**

| CODE | SIZE | BOX QTY | PRICE |
|-------|-------|---------|---------|
| BS015 | 15mm | 400 | R11.10 |
| BS020 | 20mm | 200 | R11.36 |
| BS025 | 25mm | 120 | R12.18 |
| BS032 | 32mm | 66 | R15.81 |
| BS040 | 40mm | 40 | R21.22 |
| BS050 | 50mm | 24 | R24.42 |
| BS065 | 65mm | 16 | R52.00 |
| BS080 | 80mm | 8 | R81.56 |
| BS100 | 100mm | 6 | R133.58 |

BRASS Y STRAINER - S/S SCREEN



**Temperature Rating : -20°C - 120°C
Suitable for Water, Oil & Gas
Max working pressure 16 Bar (230 psi)**

| CODE | SIZE | BOX QTY | PRICE |
|--------|------|---------|---------|
| BYS015 | 15mm | 108 | R59.60 |
| BYS020 | 20mm | 75 | R86.57 |
| BYS025 | 25mm | 36 | R150.29 |
| BYS040 | 40mm | 18 | R278.34 |
| BYS050 | 50mm | 10 | R487.45 |

VENICE

BRASS LOCKABLE TANK TAP



Temperature Rating : -20°C - 110°C
Suitable for Water & Oil
Max working pressure 12.5 Bar (180 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| BLTT015 | 15mm | 100 | R123.36 |
| BLTT020 | 20mm | 100 | R123.36 |



BRASS BIBTAP



Temperature Rating : 0°C - 120°C
Suitable for Water
Max working pressure 12 Bar (174 psi)

| CODE | SIZE | BOX QTY | PRICE |
|-----------|-----------|---------|---------|
| BBT015 | 15mm | 120 | R83.64 |
| BBT015020 | 15 x 20mm | 60 | R104.69 |
| BBT020 | 20mm | 80 | R126.26 |

BRASS NICKLE PLATED LOCKABLE BIBTAP



Temperature Rating : -20°C - 120°C
Suitable for Water & Oil
Max working pressure 12 Bar (174 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| BBTL015 | 15mm | 100 | R107.15 |
| BBTL020 | 20mm | 80 | R131.62 |

BRASS NICKLE PLATED BIBCOCK



Temperature Rating : 0°C - 80°C
Suitable for Water & Oil
Max working pressure 12 Bar (174 psi)

| CODE | SIZE | BOX QTY | PRICE |
|--------|------|---------|--------|
| BBC015 | 15mm | 60 | R86.39 |
| BBC020 | 20mm | 80 | R98.77 |

BRASS BIBTAP HOSETAIL ADAPTOR

NEW



| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|--------|
| BBTHT015 | 15mm | 120 | R13.06 |
| BBTHT020 | 20mm | 60 | R19.15 |

VENICE

BRASS GEKA TYPE FITTINGS – FEMALE



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BGF015F | 15mm | 100 | R40.19 |
| BGF020F | 20mm | 100 | R42.24 |
| BGF025F | 25mm | 100 | R42.59 |

BRASS GEKA TYPE FITTINGS – MALE



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BGF015M | 15mm | 100 | R38.26 |
| BGF020M | 20mm | 100 | R39.70 |
| BGF025M | 25mm | 100 | R42.00 |

BRASS GEKA TYPE FITTINGS – BLANK



| CODE | SIZE | BOX QTY | PRICE |
|------|-------|---------|--------|
| BGFB | BLANK | 100 | R42.00 |

BRASS GEKA TYPE FITTINGS – HOSE TAIL



| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|--------|
| BGF013HT | 13mm | 100 | R39.35 |
| BGF016HT | 16mm | 100 | R40.19 |
| BGF019HT | 19mm | 100 | R43.77 |
| BGF025HT | 25mm | 80 | R47.95 |

BRASS GEKA TYPE FITTINGS – RUBBER

NEW



| CODE | SIZE | BOX QTY | PRICE |
|------|--------|---------|-------|
| BGFR | RUBBER | 1000 | R2.61 |



VENICE

PRESSURE GAUGE 63MM DIAL 1/4" BSP



**Working Temperature
-20°C - 70°C**

| CODE | BAR | BOX QTY | PRICE |
|--------|-----|---------|---------|
| PG250 | 2,5 | 50 | R139.00 |
| PG400 | 4 | 50 | R139.00 |
| PG600 | 6 | 50 | R139.00 |
| PG800 | 8 | 50 | R139.00 |
| PG1000 | 10 | 50 | R139.00 |
| PG1600 | 16 | 50 | R139.00 |
| PG2500 | 25 | 50 | R139.00 |

PRESSURE GAUGE 100MM DIAL 3/8" BSP

NEW



**Working Temperature
-20°C - 70°C**

| CODE | BAR | BOX QTY | PRICE |
|------------|-----|---------|---------|
| PG100-250 | 2,5 | 50 | R307.00 |
| PG100-400 | 4 | 50 | R307.00 |
| PG100-600 | 6 | 50 | R307.00 |
| PG100-800 | 8 | 50 | R307.00 |
| PG100-1000 | 10 | 50 | R307.00 |

GRAPHITE GLAND PACKING



| CODE | SIZE | BOX QTY | PRICE |
|--------|-----------|---------|---------|
| GGP006 | 6mm x 1m | 20 | R21.60 |
| GGP008 | 8mm x 1m | 20 | R27.25 |
| GGP010 | 10mm x 1m | 20 | R38.70 |
| GGP012 | 12mm x 1m | 20 | R60.00 |
| GGP016 | 16mm x 1m | 20 | R86.92 |
| GGP020 | 20mm x 1m | 20 | R158.90 |

VENICE PTFE TAPE - NORMAL DUTY 0.075mm



**Only Pack QTY's
will be invoiced**

| CODE | SIZE | BOX QTY | PACK QTY | PRICE |
|----------|------------|---------|----------|-------|
| BPTFE012 | 12mm x 10m | 1000 | 10 | R3.00 |
| BPTFE019 | 19mm x 10m | 1000 | 10 | R3.98 |

PITOUT TUBE



| CODE | PRICE |
|-------|---------|
| VYR18 | R194.00 |

TITAN PTFE TAPE - HEAVY DUTY 0.1mm

NEW



**Only Pack QTY's
will be invoiced**

| CODE | SIZE | BOX QTY | PACK QTY | PRICE |
|----------|------------|---------|----------|--------|
| PTFE012H | 12mm x 12m | 250 | 10 | R6.89 |
| PTFE019H | 19mm x 40m | 100 | 10 | R27.78 |

VENICE

BRASS STOP COCK



Temperature Rating : 0°C - 70°C
Suitable for Water, Oil & Gas
Max working pressure 12.5 Bar (180 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BBSC015 | 15mm | 120 | R86.39 |
| BBSC020 | 20mm | 60 | R98.77 |

BRASS FLOAT VALVE



Temperature Rating : 0°C - 60°C
Suitable for Water
Max working pressure 6 Bar (87 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| BBFV015 | 15mm | 100 | R113.62 |
| BBFV020 | 20mm | 80 | R141.13 |
| BBFV025 | 25mm | 48 | R250.80 |
| BBFV040 | 40mm | 12 | R563.71 |
| BBFV050 | 50mm | 12 | R588.10 |

BRASS FLOAT VALVE PLASTIC BALL

- 110mm fits 15mm Valve
- 125mm fits 20mm Valve
- 150mm fits 25mm Valve
- 200mm fits 40mm Valve
- 250mm fits 50mm Valve



| CODE | SIZE | BOX QTY | PRICE |
|---------|-------|---------|---------|
| BFVB110 | 110mm | 100 | R23.65 |
| BFVB125 | 125mm | 100 | R26.14 |
| BFVB150 | 150mm | 50 | R49.85 |
| BFVB200 | 200mm | 20 | R125.06 |
| BFVB250 | 250mm | 10 | R225.27 |

BRASS HEAVY DUTY FOOT VALVE



Temperature Rating : -20°C - 120°C
Suitable for Water & Oil
Max working pressure 12.5 Bar (180 psi)

| CODE | SIZE | BOX QTY | PRICE |
|--------|-------|---------|-----------|
| BFV032 | 32mm | 60 | R211.16 |
| BFV040 | 40mm | 20 | R222.14 |
| BFV050 | 50mm | 18 | R352.79 |
| BFV065 | 65mm | 6 | R484.85 |
| BFV080 | 80mm | 6 | R727.13 |
| BFV100 | 100mm | 4 | R1 146.25 |

BRASS FLOAT VALVE ARM ONLY



| CODE | SIZE | NUT SIZE | BOX QTY | PRICE |
|----------|------|----------|---------|---------|
| BBFVA015 | 15mm | M8 | 100 | R37.71 |
| BBFVA020 | 20mm | M8 | 100 | R38.94 |
| BBFVA025 | 25mm | M10 | 100 | R83.40 |
| BBFVA040 | 40mm | M12 | 25 | R262.34 |
| BBFVA050 | 50mm | M12 | 25 | R263.65 |

PRESSURE REDUCING VALVE WITH GAUGE



NEW

Temperature Rating : 0°C - 120°C
Suitable for Water, Oil & Gas
Max working pressure 16 Bar (232 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|-----------|
| BPRV015 | 15mm | 32 | R527.00 |
| BPRV020 | 20mm | 32 | R540.51 |
| BPRV025 | 25mm | 32 | R657.35 |
| BPRV032 | 32mm | 20 | R669.18 |
| BPRV040 | 40mm | 12 | R1 319.62 |
| BPRV050 | 50mm | 12 | R1 435.00 |

VENICE

STOP COCK CxC



Temperature Rating : 0°C - 90°C
Suitable for Water, Oil & Gas
Max working pressure 12.5 Bar (180 psi)

| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|---------|
| BCSC015 | 15mm | 100 | R99.59 |
| BCSC022 | 22mm | 60 | R147.16 |

ELBOW CxC



| CODE | SIZE | BOX QTY | PRICE |
|--------|------|---------|--------|
| BCE015 | 15mm | 200 | R28.40 |
| BCE022 | 22mm | 90 | R51.44 |

COUPLER CxC



| CODE | SIZE | BOX QTY | PRICE |
|--------|------|---------|--------|
| BCC015 | 15mm | 240 | R23.92 |
| BCC022 | 22mm | 140 | R41.54 |

ELBOW CxMI



| CODE | SIZE | BOX QTY | PRICE |
|-------------|-------------|---------|--------|
| BCMCE015015 | 15mm x 15mm | 200 | R23.71 |
| BCMCE022020 | 22mm x 20mm | 110 | R39.81 |

ADAPTOR CxMI



| CODE | SIZE | BOX QTY | PRICE |
|------------|-------------|---------|--------|
| BCMA015015 | 15mm x 15mm | 300 | R17.59 |
| BCMA022020 | 22mm x 20mm | 140 | R30.71 |

ELBOW CxFI



| CODE | SIZE | BOX QTY | PRICE |
|-------------|-------------|---------|--------|
| BCFCE015015 | 15mm x 15mm | 170 | R24.15 |
| BCFCE022020 | 22mm x 20mm | 100 | R42.36 |

ADAPTOR CxFI



| CODE | SIZE | BOX QTY | PRICE |
|------------|-------------|---------|--------|
| BCFA015015 | 15mm x 15mm | 220 | R19.38 |
| BCFA022020 | 22mm x 20mm | 140 | R31.38 |

VENICE

TEE CxCxC



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BCET015 | 15mm | 120 | R39.49 |
| BCET022 | 22mm | 60 | R77.77 |

TEE REDUCING CxCxC



| CODE | SIZE | BOX QTY | PRICE |
|------------|-------------|---------|--------|
| BCRT022015 | 22mm x 15mm | 60 | R71.78 |

WALL PLATE CxFI



| CODE | SIZE | BOX QTY | PRICE |
|------------|-------------|---------|--------|
| BCWP015015 | 15mm x 15mm | 100 | R36.65 |
| BCWP022020 | 22mm x 20mm | 50 | R61.10 |

SPARE OLIVE (FERRULES)



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|-------|
| BCSO015 | 15mm | 2500 | R1.84 |
| BCSO022 | 22mm | 1500 | R2.99 |

REDUCER



| CODE | SIZE | BOX QTY | PRICE |
|-----------|-------------|---------|--------|
| BCR022015 | 22mm x 15mm | 150 | R36.04 |

TEE FEMALE CxFI



| CODE | SIZE | BOX QTY | PRICE |
|-------------|-------------|---------|--------|
| BCFCT015015 | 15mm x 15mm | 120 | R37.85 |
| BCFCT022020 | 22mm x 20mm | 60 | R69.62 |

STOP END



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BCSE015 | 15mm | 400 | R13.09 |
| BCSE022 | 22mm | 230 | R22.92 |

SPARE NUT



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|-------|
| BSCN015 | 15mm | 700 | R5.27 |
| BSCN022 | 22mm | 500 | R9.22 |

COPPER CAPILLARY FITTINGS

COPPER CAPILLARY 90° ELBOW



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BCCE015 | 15mm | 100 | R4.24 |
| BCCE022 | 22mm | 100 | R10.51 |

COPPER CAPILLARY 45° ELBOW



| CODE | SIZE | BOX QTY | PRICE |
|------------|------|---------|-------|
| BCCE015045 | 15mm | 100 | R4.16 |
| BCCE022045 | 22mm | 100 | R9.60 |

COPPER CAPILLARY 90° REDUCING ELBOW



| CODE | SIZE | BOX QTY | PRICE |
|-------------|-----------|---------|--------|
| BCCRE022015 | 22 x 15mm | 100 | R12.06 |

COPPER CAPILLARY END CAP



| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|--------|
| BCCEC015 | 15mm | 100 | R2.99 |
| BCCEC022 | 22mm | 100 | R10.19 |

COPPER CAPILLARY EQUAL TEE



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|--------|
| BCCT015 | 15mm | 100 | R8.11 |
| BCCT022 | 22mm | 100 | R20.55 |

COPPER CAPILLARY REDUCING TEE



| CODE | SIZE | BOX QTY | PRICE |
|-------------|-----------|---------|--------|
| BCCRT015022 | 15 x 22mm | 100 | R22.25 |
| BCCRT022015 | 22 x 15mm | 100 | R17.59 |

COPPER CAPILLARY COUPLING



| CODE | SIZE | BOX QTY | PRICE |
|---------|------|---------|-------|
| BCCC015 | 15mm | 100 | R2.69 |
| BCCC022 | 22mm | 100 | R6.56 |

COPPER CAPILLARY CROSS OVER



| CODE | SIZE | BOX QTY | PRICE |
|----------|------|---------|--------|
| BCCCO015 | 15mm | 100 | R20.84 |
| BCCCO022 | 22mm | 100 | R42.71 |

COPPER CAPILLARY REDUCER



| CODE | SIZE | BOX QTY | PRICE |
|------------|-----------|---------|-------|
| BCCR022015 | 22 x 15mm | 100 | R7.61 |



