

# JOJO





## VERTICAL WATER TANKS



**NEW** Try our brand new Pump Ready Tanks, pre-fitted with all required accessories/fitings to guarantee easy connection from tank to pump. Available in 750L Slimline™, 1000L Slimline™, 2500L MultiSlim™, 2200L, 2500L & 5000L Vertical Tanks.

TANK	SG	DIAMETER	HEIGHT	LID	PRICE
260L	SG 1	620mm	925mm	480mm	R736.00
500L	SG 1	840mm	1 080mm	480mm	R1 402.00
500L Backwash Tank	SG 1	840mm	1 080mm	480mm	R1 548.00
750L Slimline™	SG 1	760mm	1 850mm	480mm	R1 806.00
1 000L	SG 1	1 110mm	1 300mm	480mm	R1 876.00
1 000L Slimline™	SG 1	840mm	2 060mm	480mm	R2 398.00
1 500L	SG 1	1 410mm	1 200mm	480mm	R1 993.00
2 000L	SG 1	1 420mm	1 450mm	480mm	R2 217.00
2 400L	SG 1	1 420mm	1 700mm	480mm	R2 493.00
2 700L	SG 1	1 420mm	1 860mm	480mm	R3 239.00
2 500L MultiSlim	SG 1	760mm (width) 2 500mm (length)	1 960mm	450mm Screw x 2	R9 324.00
4 750L	SG 1	1 820mm	2 060mm	480mm	R4 628.00
5 250L	SG 1	1 820mm	2 255mm	480mm	R4 966.00
5 500L	SG 1	1 900mm	2 240mm	480mm	R7 002.00
10 000L	SG 1	2 200mm	3 150mm	480mm	R11 771.00
15 000L * **	SG 1	2 600mm	3 260mm	480mm	R25 075.00
20 000L * **	SG 1	2 600mm	4 270mm	450mm Screw	R36 473.00

\* Transport costs apply  
 \*\* A lead time of 14 days required  
 \*\*\* 50% Deposit required to confirm order



## VERTICAL TANKS CHEMICAL MEDIUM / HEAVY


**10  
YEAR  
WARRANTY**

TANK	TYPE	SG	DIAMETER	HEIGHT	SCREW LID	PRICE
260L	Chemical Medium	SG 1.4	620mm	925mm	450mm	R984.00
	Chemical Heavy	SG.1.6	620mm	925mm	450mm	R1 235.00
500L	Chemical Medium	SG 1.4	840mm	1 080mm	450mm	R1 980.00
	Chemical Heavy	SG.1.6	840mm	1 080mm	450mm	R2 195.00
1000L	Chemical Medium	SG 1.4	1 110mm	1 300mm	450mm	R2 710.00
	Chemical Heavy	SG.1.6	1 110mm	1 300mm	450mm	R3 459.00
1500L	Chemical Medium	SG 1.4	1 410mm	1 200mm	450mm	R3 858.00
	Chemical Heavy	SG.1.6	1 410mm	1 200mm	450mm	R4 831.00
2500L	Chemical Medium	SG 1.4	1 420mm	1 860mm	450mm	R4 686.00
	Chemical Heavy	SG.1.6	1 420mm	1 860mm	450mm	R5 541.00
5000L	Chemical Medium	SG 1.4	1 820mm	2 255mm	450mm	R7 325.00
	Chemical Heavy	SG.1.6	1 820mm	2 255mm	450mm	R8 026.00
5500L	Chemical Medium	SG 1.4	1 900mm	2 240mm	450mm	R9 353.00
	Chemical Heavy	SG.1.6	1 900mm	2 240mm	450mm	R10 872.00
10 000L	Chemical Medium	SG 1.4	2 200mm	3 150mm	450mm	R20 754.00
	Chemical Heavy	SG.1.6	2 200mm	3 150mm	450mm	R22 294.00
15 000L * ** ***	Chemical Medium	SG 1.4	2 600mm	3 260mm	450mm	R33 678.00
	Chemical Heavy	SG.1.6	2 600mm	3 260mm	450mm	R41 798.00
20 000L * ** ***	Chemical Medium	SG 1.4	2 600mm	4 270mm	450mm	R56 555.00
	Chemical Heavy	SG.1.6	2 600mm	4 270mm	450mm	R59 034.00

Chemical tanks are available in the following colours:



Blue Tint



Yellow Tint



White Natural

\* Transport costs apply  
 \*\* A lead time of 14 days required  
 \*\*\* 50% Deposit required to confirm order

**10  
YEAR  
WARRANTY**

**LOW PROFILE TANKS**

TANK	TYPE	SG	DIAMETER	HEIGHT	LID	PRICE
5000L **	Standard	SG 1	2 230mm	1 560mm	480mm Clip-on Lid	R7 129.00
5000L **	Chemical Medium	SG 1.4	2 230mm	1 560mm	450mm Screw-on Lid	R10 807.00
5000L **	Chemical Heavy	SG 1.6	2 230mm	1 560mm	450mm Screw-on Lid	R12 481.00
10 000L **	Standard	SG 1	2 420mm	2 550mm	480mm Clip-on-Lid	R15 236.00
10 000L **	Chemical Medium	SG 1.4	2 420mm	2 550mm	450mm Screw-on Lid	R18 592.00
10 000L **	Chemical Heavy	SG 1.6	2 420mm	2 550mm	450mm Screw-on Lid	R22 419.00

\* Transport costs apply  
\*\* A lead time of 14 days required



**i** JoJo Tanks uses a specialist roto-moulding manufacturing process that ensures quality, durability and the correct wall thickness. Temperature differences in the cooling process play an important role and this may result in a slight variance in tank size.

**AGRICULTURAL PRODUCTS**



Nose Cone

**RAFT FLOAT**

**Nose Cone**

<b>DIAMETER</b>	535mm
<b>LENGHT A</b>	1110mm
<b>LENGTH B</b>	590mm
<b>PRICE</b>	R1 207.00



Middle Cone

**RAFT FLOAT**

**Middle Cone**

<b>DIAMETER</b>	530mm
<b>LENGHT</b>	1 180mm
<b>PRICE</b>	R1 327.00



**SCREW-ON-LID  
DRUM**

SIZES	PRICES
50L	R204.00
90L	R345.00
210L	R709.50



**CLIP-ON-LID  
DRUM**

SIZES	PRICES
100L	R408.00
210L	R792.00




**HORIZONTAL TANKS**
**ALL HORIZONTAL TANKS ARE AVAILABLE IN WATER, CHEMICAL MEDIUM AND CHEMICAL HEAVY**
**10  
YEAR  
WARRANTY**

TANK	TYPE	SG	HEIGHT	LENGTH	WIDTH	LID	PRICE	
<b>240L</b>	Medium*	SG 1.4	650mm	1 080mm	560mm	125mm Planter	R1 404.00	
	Heavy	SG 1.6	650mm	1 080mm	560mm	125mm Planter	R1 542.00	
<b>500L</b>	Medium*	SG 1.4	830mm	1 290mm	785mm	125mm Planter	R2 193.00	
	Heavy	SG 1.6	830mm	1 290mm	785mm	125mm Planter	R2 629.00	
<b>600L</b>	Medium*	SG 1.4	675mm	1 430mm	955mm	125mm Planter	R2 778.00	
	Heavy	SG 1.6	675mm	1 430mm	955mm	125mm Planter	R3 165.00	
<b>750L</b>	Medium*	SG 1.4	715mm	1 520mm	955mm	125mm Planter	R3 384.00	
	Heavy	SG 1.6	715mm	1 520mm	955mm	125mm Planter	R4 073.00	
<b>900L</b>	Medium*	SG 1.4	925mm	1 495mm	1 000mm	125mm Planter	R3 612.00	
	Heavy	SG 1.6	925mm	1 495mm	1 000mm	125mm Planter	R5 332.00	
<b>1 000L</b>	Medium*	SG 1.4	1 030mm	1 645mm	990mm	125mm Planter	R4 451.00	
	Heavy	SG 1.6	1 030mm	1 645mm	990mm	125mm Planter	R5 336.00	
<b>1 500L</b>	Medium*	SG 1.4	1 395mm	1 900mm	1 100mm	450mm Screw	R6 186.00	
	Heavy	SG 1.6	1 395mm	1 900mm	1 100mm	450mm Screw	R7 753.00	
<b>2 500L **</b>	Water	SG 1	1 210mm	2 180mm	1 540mm	450mm Screw	R7 344.00	
	Medium*	SG 1.4	1 210mm	2 180mm	1 540mm	450mm Screw	R8 446.00	
	Heavy	SG 1.6	1 210mm	2 180mm	1 540mm	450mm Screw	R9 586.00	
<b>4 500L</b>	Water	SG 1	1 430mm	2 320mm	2 070mm	450mm Screw	R15 145.00	
	Medium*	SG 1.4	1 430mm	2 320mm	2 070mm	450mm Screw	R17 745.00	
	Heavy	SG 1.6	1 430mm	2 320mm	2 070mm	450mm Screw	R19 073.00	
<b>5 000L Crocodile **</b>	Water	SG 1	1 530mm	2 600mm	2 060mm	450mm Screw	R15 307.00	
	Medium*	SG 1.4	1 530mm	2 600mm	2 060mm	450mm Screw	R18 168.00	
	Heavy	SG 1.6	1 530mm	2 600mm	2 060mm	450mm Screw	R19 212.00	
<b>5 500L</b>	Water	SG 1	1 505mm	2 545mm	2 090mm	450mm Screw	R15 562.00	
	Medium*	SG 1.4	1 505mm	2 545mm	2 090mm	450mm Screw	R19 534.00	
	Heavy	SG 1.6	1 505mm	2 545mm	2 090mm	450mm Screw	R23 402.00	

\* 14 Days' lead time required on all horizontal tanks

\*\* If intended usage is for diesel/paraffin storage, ensure that the tank is fitted with a diesel seal - identified by its yellow nut

## UNDERGROUND TANK

### 6000L UNDERGROUND TANK

Available as a **Septic & Conservancy Tank**

**Septic** is used for sewerage

**Conservancy** is used for black, grey & normal water storage

The **6000L Underground Tank** with its rugged, ribbed design offers superior strength for underground installation and the rib placement provides exceptional structural integrity.

If a smaller tank is required, any one of our conservancy tanks can be used for underground installation as well. The structure design is sturdy enough to withstand the pressure of the soil (when it is empty).



**10  
YEAR  
WARRANTY**

6000L SEPTIC TANK Including Fittings	DIAMETER	HEIGHT	LENGTH	PERSONS	PRICE
	1 900mm	1 980mm	3 330mm	20 - 25	R19 257.00

6000L CONSERVANCY / UNDERGROUND TANK Excluding Fittings	DIAMETER	HEIGHT	LENGTH	PERSONS	PRICE
	1 900mm	1 980mm	3 330mm	20 - 25	R22 757.00

**Please Note:**

There is a very specific and highly recommended installation procedure for the **JoJo Underground Tank**. For detailed information and the installation procedure document, visit our website at [www.jojotanks.co.za](http://www.jojotanks.co.za).

## SANITATION SYSTEMS

01

### SEPTIC TANK

The installation of a septic tank used for the disposal of sewerage. It brings about the digestion of organic matter and discharges the black water into a French drain to soak away into the ground over time.

- Tank filled with sewerage only
- Biodegradation process occurs
- No soap water
- Runs into a French drain

SOURCE



REQUIREMENTS



PERSONS	TANK SIZE	DIAMETER	HEIGHT	LID	INLET	OUTLET	PRICE
2 - 4	1 250L	1 550mm	1 190mm	290mm	110mm	50mm	R4 580.00
2 - 6	1 500L	1 550mm	1 280mm	290mm	110mm	50mm	R5 030.00
4 - 6	1 750L	1 550mm	1 390mm	290mm	110mm	50mm	R5 438.00
4 - 7	2 000L	1 550mm	1 500mm	290mm	110mm	50mm	R5 764.00
4 - 9	2 500L	1 550mm	1 710mm	290mm	110mm	50mm	R6 161.00



02

### CONSERVANCY TANK

The installation of a conservancy tank used for the disposal of both black and grey water. It requires that the waste be pumped out routinely/whenever the tank is full.

- Tank filled with black & grey water
- Tank used for temporary storage
- Chemical Resistant
- Pumped out with honey-sucker, sludge pump or centrifugal pump

SOURCE



REQUIREMENTS



PERSONS	TANK SIZE	DIAMETER	HEIGHT	LID	INLET	OUTLET	PRICE
2 - 4	1 250L	1 550mm	1 190mm	290mm	N/A	N/A	R6 747.00
2 - 6	1 500L	1 550mm	1 280mm	290mm	N/A	N/A	R7 193.00
4 - 6	1 750L	1 550mm	1 390mm	290mm	N/A	N/A	R7 624.00
4 - 7	2 000L	1 550mm	1 500mm	290mm	N/A	N/A	R8 174.00
4 - 9	2 500L	1 550mm	1 710mm	290mm	N/A	N/A	R9 613.00



## TANK CONNECTORS

	<b>Female Water Fitting</b> 40mm      STC040.8.3      R59.00
	<b>Female Water Fitting</b> 40mm      TC040.8      R78.00 2-way
	<b>Male Tank Connector</b> 15mm      TC015.1      R53.00 25mm      TC025.0      R68.00 40mm      STC040.1      R115.00 50mm      STC050.0      R111.00
	<b>Male/Female Tank Connector</b> 40/25mm      TC040.7      R98.00 50/40mm      STC050.0      R111.00
	<b>Male/Female Tank Connector Long Series</b> 50/40mm      TC05.LN      R125.00
	<b>Male Tank Connector</b> 75mm      TC075.0      R198.00
	<b>Diesel/Paraffin Tank Connector</b> 40mm      TC040.D      R115.00 50mm      TC050.D      R135.00 75mm      TC075.D      R198.00

## REDUCERS

	<b>Male/Female Reducer</b> 50/40mm      SZ014.1.1      R14.00
	<b>Male/Female Reducer</b> 40/20mm      SR40.20      R29.00

## LIDS & SCREENS

	<b>Clip On Lid with E-clips</b> 480mm      LID480      R63.15 Standard lid for all vertical and low profile water tanks
	<b>Screw Lid Complete</b> 250mm      L250.C      R224.15 450mm*      L450.C      R263.80 * Standard for all medium/heavy chemical vertical & low profile tanks as well as 1500 - 5500L Horizontal Tanks
	<b>Tank Screen/Filter Screen</b> 450mm      L450.S      R253.00 Can be used with any Horizontal Water Tank
	<b>480MM FILTER SCREEN</b> Stainless steel mesh fitted beneath the lid to keep out smaller debris and insects R294.00



