

CAMLOCK FITTINGS

CAMLOCK



CAMLOCK FITTINGS Pg. 14 - 18



CAMLOCK FITTINGS (POLYPROP)



**CORROSION RESISTANT
QUICK COUPLING
WATER TIGHT SEAL**

POLYPROP

TYPE A - MALE ADAPTOR X FEMALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TA015P	15mm	488	R13.48
TA020P	20mm	240	R14.17
TA025P	25mm	300	R15.54
TA032P	32mm	252	R24.64
TA040P	40mm	185	R25.10
TA050P	50mm	120	R39.63
TA065P	65mm	60	R58.17
TA080P	80mm	50	R61.60
TA100P	100mm	24	R124.91

TYPE B - FEMALE COUPLER X MALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TB015P	15mm	145	R66.52
TB020P	20mm	120	R67.73
TB025P	25mm	80	R74.73
TB032P	32mm	160	R114.99
TB040P	40mm	130	R116.00
TB050P	50mm	80	R123.56
TB065P	65mm	64	R184.83
TB080P	80mm	48	R190.10
TB100P	100mm	20	R369.69

TYPE C - FEMALE COUPLER X HOSE TAIL

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TC015P	15mm	120	R68.10
TC020P	20mm	100	R69.54
TC025P	25mm	200	R75.10
TC032P	32mm	120	R118.81
TC040P	40mm	100	R122.00
TC050P	50mm	65	R144.49
TC065P	65mm	48	R199.91
TC080P	80mm	30	R207.76
TC100P	100mm	12	R419.90

TYPE D - FEMALE COUPLER X FEMALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TD015P	15mm	150	R68.14
TD020P	20mm	120	R69.26
TD025P	25mm	200	R75.10
TD032P	32mm	224	R113.15
TD040P	40mm	100	R120.43
TD050P	50mm	80	R137.90
TD065P	65mm	48	R195.10
TD080P	80mm	36	R199.75
TD100P	100mm	21	R396.80

**CORROSION RESISTANT
QUICK COUPLING
WATER TIGHT SEAL**



**CAMLOCK FITTINGS
(POLYPROP)**

POLYPROP

TYPE E - MALE ADAPTOR X HOSE TAIL

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TE015P	15mm	468	R13.48
TE020P	20mm	550	R14.14
TE025P	25mm	144	R17.74
TE032P	32mm	224	R26.94
TE040P	40mm	168	R29.40
TE050P	50mm	90	R50.45
TE065P	65mm	50	R81.10
TE080P	80mm	40	R83.96
TE100P	100mm	15	R227.68

TYPE F - MALE ADAPTOR X MALE BSP

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TF015P	15mm	470	R12.30
TF020P	20mm	240	R13.13
TF025P	25mm	140	R16.40
TF032P	32mm	210	R25.57
TF040P	40mm	160	R27.10
TF050P	50mm	90	R46.63
TF065P	65mm	60	R68.96
TF080P	80mm	40	R72.70
TF100P	100mm	20	R225.15

TYPE DC - FEMALE END CAP

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TDC015P	15mm	160	R61.30
TDC020P	20mm	130	R63.14
TDC025P	25mm	120	R80.77
TDC032P	32mm	180	R131.96
TDC040P	40mm	125	R136.52
TDC050P	50mm	100	R148.72
TDC065P	65mm	72	R199.50
TDC080P	80mm	50	R205.21
TDC100P	100mm	30	R399.60

TYPE DP - MALE END PLUG

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 50mm (8 BAR)
65mm - 100mm (5 BAR)

CODE	SIZE	BOX QTY	PRICE
TDP015P	15mm	880	R9.10
TDP020P	20mm	450	R9.75
TDP025P	25mm	200	R11.43
TDP032P	32mm	378	R18.70
TDP040P	40mm	288	R20.46
TDP050P	50mm	175	R25.98
TDP065P	65mm	120	R55.42
TDP080P	80mm	80	R57.48
TDP100P	100mm	50	R120.37

CAMLOCK FITTINGS (ALUMINIUM)



**CORROSION RESISTANT
QUICK COUPLING
WATER TIGHT SEAL**

ALUMINIUM

TYPE A - MALE ADAPTOR X FEMALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TA015A	15mm	150	R22.82
TA020A	20mm	140	R32.71
TA025A	25mm	100	R38.92
TA032A	32mm	60	R53.69
TA040A	40mm	120	R63.61
TA050A	50mm	100	R74.10
TA065A	65mm	60	R132.27
TA080A	80mm	48	R140.00
TA100A	100mm	36	R201.00

TYPE B - FEMALE COUPLER X MALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TB015A	15mm	100	R78.99
TB020A	20mm	60	R87.17
TB025A	25mm	120	R107.99
TB032A	32mm	75	R158.58
TB040A	40mm	60	R166.54
TB050A	50mm	60	R184.78
TB065A	65mm	36	R232.54
TB080A	80mm	30	R335.22
TB100A	100mm	18	R448.13

TYPE C - FEMALE COUPLER X HOSE TAIL

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TC015A	15mm	100	R69.35
TC020A	20mm	50	R87.31
TC025A	25mm	100	R111.92
TC032A	32mm	65	R160.50
TC040A	40mm	50	R180.19
TC050A	50mm	48	R213.28
TC065A	65mm	36	R260.91
TC080A	80mm	24	R389.91
TC100A	100mm	12	R499.65

TYPE D - FEMALE COUPLER X FEMALE BSP

Temperature rating:-18°C - 66°C

Suitable Application :

- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TD015A	15mm	100	R65.72
TD020A	20mm	60	R88.68
TD025A	25mm	120	R111.48
TD032A	32mm	75	R162.15
TD040A	40mm	60	R177.91
TD050A	50mm	60	R191.97
TD065A	65mm	36	R236.16
TD080A	80mm	30	R345.99
TD100A	100mm	18	R479.58

**CORROSION RESISTANT
QUICK COUPLING
WATER TIGHT SEAL**



**CAMLOCK FITTINGS
(ALUMINIUM)**

ALUMINIUM

TYPE E - MALE ADAPTOR X HOSE TAIL

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TE015A	15mm	100	R23.10
TE020A	20mm	100	R35.15
TE025A	25mm	80	R46.36
TE032A	32mm	100	R64.10
TE040A	40mm	60	R82.12
TE050A	50mm	60	R110.10
TE065A	65mm	48	R191.10
TE080A	80mm	30	R208.56
TE100A	100mm	15	R327.23

TYPE F - MALE ADAPTOR X MALE BSP

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TF015A	15mm	100	R28.23
TF020A	20mm	100	R41.91
TF025A	25mm	75	R49.96
TF032A	32mm	100	R73.38
TF040A	40mm	90	R86.48
TF050A	50mm	75	R110.13
TF065A	65mm	48	R180.30
TF080A	80mm	36	R192.52
TF100A	100mm	24	R310.53

TYPE DC - FEMALE END CAP

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TDC015A	15mm	100	R82.42
TDC020A	20mm	60	R94.37
TDC025A	25mm	140	R119.25
TDC032A	32mm	75	R182.88
TDC040A	40mm	60	R186.51
TDC050A	50mm	60	R211.10
TDC065A	65mm	36	R250.55
TDC080A	80mm	32	R355.69
TDC100A	100mm	20	R470.51

TYPE DP - MALE END PLUG

Temperature rating:-18°C - 66°C
Suitable Application :
- Marine
- Industrial
- Agricultural
- Irrigation



20mm - 65mm (10 BAR)
80mm (8 BAR)
100mm (6 BAR)

CODE	SIZE	BOX QTY	PRICE
TDP015A	15mm	100	R22.80
TDP020A	20mm	150	R30.92
TDP025A	25mm	100	R39.69
TDP032A	32mm	60	R59.49
TDP040A	40mm	140	R66.74
TDP050A	50mm	100	R97.17
TDP065A	65mm	60	R134.10
TDP080A	80mm	60	R136.25
TDP100A	100mm	36	R207.00

RUBBER ONLY

CAMLOCK RUBBER ONLY

CODE	SIZE	PRICE
TCR015	15mm	R4.00
TCR020	20mm	R4.19
TCR025	25mm	R4.33
TCR032	32mm	R5.77
TCR040	40mm	R7.56
TCR050	50mm	R8.88
TCR065	65mm	R11.41
TCR080	80mm	R13.91
TCR100	100mm	R21.98

